

Manta Manta 42 MK II



Make	Model	Length	Price	Year	Condition
Manta	Manta 42 MK II	42 ft	\$ 299,000	2005	Used
Boat Name	Hull Material	Draft	Number of Engines	Fuel Type	
SYNCHRONICITY	Fiberglass	3 ft 8 in	0	Diesel	

Rare opportunity to purchase a Manta 42 Mark II Hull # 100. Low hours on the diesel engines and this boat is loaded with all the options. Fully commissioned, and available immediately!. Over \$45,000.00 spent on new electronics and upgrades. Lots of spare parts, additional inventory and safety equipment. See additional information section.

Additional Information and Photos

Measurements

Cruising Speed: 7.4 kn
LOA: 42 ft
LWL: 39 ft 10 in
Beam: 21 ft
Max Bridge Clearance: 59 ft 9 in
Min. Draft: 3 ft 8 in Max
Draft: 3 ft 8 in
Displacement: 16500 lb
Fuel Tanks Capacity: 120 gal
Fresh Water Tanks Capacity: 100 gal
Holding Tanks #: 2
Number of Cabins: 3
Number of Heads: 2

Boat Highlights

Lightly used and well equipped Manta 42 MKII for sale.

Layout & Accommodations

Hull # 100 Interior finish is a blend of maple and teak wood veneer, vinyl headliners, fabric hull-liners, accented with Swanstone Almond Galaxy composite countertops, Baltic Blue Ultraleather fabric, wood mouldings, louvered wood doors and high durability synthetic teak and holly soles Skyshade blinds for all opening ports and stateroom hatches

L-shaped settee covered with Baltic Blue Ultraleather
Large Custom adjustable dining table – Arrigoni folding teak and veneer
Two hassocks with additional storage maple and teak veneer and Baltic Blue Ultraleather seat tops
Extensive galley storage incl. large pantry in port hull
Navigational area with chart storage and locker with adjustable shelves
Full-size hanging/wet locker with storage shelf and floor drains
Custom companionway entrance step with inside storage
Storage Steps in port hull

- Port Hull (Owner Cabin)
- Owners stateroom with queen-size fore-aft berth with custom Tempurepedic-topped foam mattress, 2 overhead 12v Taylorbrite CCF lights and 2 reading lamps, extra-large cedar-lined

Additional Information and Photos

hanging locker, Baltic Blue Ultraleather-topped settee with storage, (4) large drawers, (1) 2-door cabinet with shelves, (1) deep storage locker and (1) open locker with custom shelf

- Companionway pantry storage inboard; (1) full-height 4-shelf bookshelf and 1 3-shelf louvered-door cabinet with in-between shelf outboard

- Head with huge separate stall shower, Swanstone Almond Galaxy sink, Quiet Flush fresh water electric head, huge vanity cabinet behind full mirrored doors, stainless rods between bulkheads for multiple towels and solid handholds

- Starboard Hull (Guest Cabin)

- Aft cabin with queen-size

- berth with custom Tempurepedic?-topped foam mattress, 2 overhead 12v Taylorbrite CCF lights and 2 reading lamps, cedar-lined hanging locker, Baltic Blue Ultraleather-topped settee with storage, (3) large drawers, (1) deep storage locker

- Large full-height 4-shelf bookshelf in companionway

- Dual access head with separate shower, Swanstone Almond Galaxy sink, Quiet Flush fresh water electric head, huge vanity cabinet, large mirror, stainless rods between bulkheads for multiple towels and solid handholds

- Forward cabin with double-size berth with foam mattress, (2) storage lockers.

Galley

Incredible galley storage:

U-shaped galley with large U shaped counter space, integral trash bin, drawers and bins

Large Swanstone Almond Galaxy sink with hot and cold water mixer

Fresh water foot pump

Swanstone Almond Galaxy countertops with teak edge inlay

3 burner Force Ten propane stove and oven with storage locker below

12V cook top exhaust blower/vent over stove

Remote solenoid shut-off valve for propane (20lb S/S bottle in cockpit locker)

Top-loading, 10 cubic ft. Adler Barbour refrigerator/freezer with 6" foam insulation and divider, and remote digital thermostat/thermometer

Microwave

Extensive galley storage incl. large pantry in port hull

Electrical, Power & Plumbing

Additional Information and Photos

Sea Recovery 300 GPD Modular UltraWhisper D/C watermaker system with self-regulated freshwater backflush and in-line automatic salinity testing (System pickled for storage)
Marine Air Systems® 26,000 btu reverse cycle air conditioning with remote digital thermostat/thermometer controls (system circulator pump)
Jabsco SensorMax 17 12v water pressure pump with 4.5 GPM capacity
Isotemp 10 gallon 110-volt water heater with engine heat exchanger system
Splendide 2100 washer-dryer combo (deck-vented)
(2) PAR Quiet Flush fresh water electric heads
(6) 12v interior fans
50 30 amp shore power cords with 50 amp splitter, cable and TV connections and power cord cover
(2) high output alternators
Custom A/C-D/C electrical panel with digital meters
(6) 6v Lifeline AGM house batteries (900 total amps) with isolation switches
(2) 12v Lifeline AGM engine starting batteries with on/off switches
(2) 80 amp MasterVolt MASS 12/80 battery charger with temperature sensing
(2) MasterVolt three-step alternator regulators with temperature sensing
Xantrex Link 20 battery monitor
MasterVolt Mass SINE 12/2000 inverter
ProMariner ProSafe Zinc Saver
(6) Sieman Power Max 75 watt solar panels with regulator, Blue Sky Energy 50 controller and Blue Sky Energy solar boost remote display at nav station
Next Generation Power 5.5kw diesel generator with sound shield; hours ; custom add-ons include:
(2) individual blower motors for air intake and exhaust, additional in-line boost fuel pump in generator compartment, and electrical toggle switch in generator compartment to activate fuel pump
(3) Reverso electric oil-change pumps all 3 engines
Navigation running lights and anchor light
Combination steaming/foredeck light with s/s guard
(2) sealed shower sumps with auto pumpout
12v Taylorbrite CCF interior lighting; 12v LED courtesy lights
One baffled 3/16" epoxy-coated 100 gallon aluminum water tank with remote gauge and deck fitting
One baffled 3/16" epoxy-coated 120 gallon aluminum fuel tank with remote gauge and deck fitting
Bilge pumps replaced 2018
(2) 20 gallon polyethylene holding tanks with y-valve, level gauge, macerator pump and deck fitting

Additional Information and Photos

- (1) 20 lb stainless steel propane bottle with gauge in vented locker; remote shutoff for propane in galley
- (2) Jabsco 1950 GPH 12v bilge pumps with auto switch
- (2) Whale Gusher manual bilge pumps
- All through-hulls and seacocks are noncorrosive Forespar Marelon
- Stern dockside water connection; hot and cold deck shower; fresh water washdown at stern
- (4) 25 water hoses
- (6) jerry cans (2) diesel, (2) gas, (2) water

Deck & Equipment

- Eisenglass cockpit Enclosure
- Netting aft cockpit under sling
- Bulkhead-mounted stainless steel steering wheel with wheel brake
- Adjustable helmsman chair with foot rest
- Welded anodized radar arch with integral fiberglass hard top, additional custom welded anodized underside arch
- (2) outboard hand rails and side tracks for mounting custom sun shades, visibility hatch
- (3) fiberglass storage boxes (1 insulated for use as cooler)
- Strataglass windshield with opening center window and roll-down cockpit side curtains
- Taylorbrite CCF cockpit lighting
- Integral swing down benchseat (blue)
- 2-burner stern-mounted propane grill plumbed to boat's propane system
- Cockpit table with interior storage bracket
- (4) 2 PVC cockpit cushions and backrests (blue with white piping)
- (4) Textaline awning shade panels for sun shade protection
- (5) Sunsure covers (blue) for Strataglass windshield and side panels
- Ritchie Navigator binnacle compass
- Custom stainless steel anchor roller
- Stainless steel corner bow rails with integral seat
- Double life lines with boarding gates midships and afts
- All deck stanchions, handrails, cleats, ports and hatches 316 stainless steel
- (2) rear stanchion-mounted stainless steel fishing rod holders
- (6) Bomar stainless steel opening deck hatches with screens;
- (2) 12v solar ventilators in forward hull hatches
- (9) Bomar stainless steel opening ports with screens
- Bomar companionway door with locking handle and rollaway screen

Additional Information and Photos

Acrylic tinted salon windows with protective fiberglass louvers
(4) large foredeck lockers with locking latches; anchor chain locker
Vinyl coated polyester mesh trampoline (blue)
Remote anchor control
(1) Spade 21 lb. aluminum self-stowing anchor with stainless steel swivel, 200 stainless steel 5/16" chain rode and (2) 5/8 x 20 shock absorption bridle lines with chain hooks
(1) Fortress FX-23 aluminum anchor with 5/8" x 200' 3-strand nylon rode with 10' of 5/16 chain.
Maxwell VWC 1200 12v electric anchor windlass with reversing capstan, gypsy and deck switches
12v saltwater anchor washdown
(4) 12 x 32 Freedom fenders; (2) oversized 18 x 42 inflatable storm fenders
(7) 3/4" and (6) 5/8" assorted-length dock lines
Boathook
•SAFETY EQUIPMENT
Fiorentino sea anchor with bag, nylon rode (rigged and ready to be deployed) and video
Airhorn
Ships bell
Bosuns chair
(3) fire extinguishers
Flare kit
Throwable flotation device
Heaving line
(2) Jacklines
Coastal medical kit
(4) manual inflatable PFDs with harness
(4) safety tethers
ACR GlobalFix? 406 EPIRB with integral GPS
Davis Deluxe Echomaster radar reflector

AB 10' 6" RIB inflatable with fiberglass double floor Ventus model 10VL
Suzuki 15hp outboard engine(new)
Dinghy cover
(2) fuel tanks (1) 6 gallon and (1) 3 gallon
High capacity dual action pump
Keelguard
Oars and oar locks
Bench seat
(2) tiller extensions

Additional Information and Photos

Towing rings
Doel-fin hydrofin
8 lb. Danforth anchor with 4 chain rode and 100 nylon rode
Grapnel folding anchor
15 stainless steel cable with lock
Custom stainless steel lifting harness; (2) Harken 6:1 lifting tackle; 3:1 securing tackle

SPARE PARTS

Miscellaneous Spare Parts

ADDITIONAL INVENTORY

Set of Charts Electronic and paper
Inventory includes all manuals for boat systems as supplied by Manta.
Manuals for all added equipment

Electronics & Navigation

1. Raymarine E-120 Multi Function Display at Helm
2. Raymarine E-80 Multi Function Display in Salon
3. Raymarine Smart Controller Autopilot remote
4. Raymarine ST-70 Multifunction Color Instrument - set up as repeater in Salon
5. Raymarine ST-60 Plus instruments at helm - depth, tridata, wind
6. Raymarine S-1 Wheel Pilot Autopilot
7. Raymarine ST6002 Autopilot controller with S3G Linear Drive Autopilot (this is an upgraded AP)
8. Raymarine RD424 4KW 24" Radome Radar System
9. Raystar 125 GPS receiver/antenna
10. Seataalk HS Network Switch
11. ICOM IC-M 504 VHF Radio
12. ICOM IC-M 422 VHF Radio
13. ICOM IC-M802 SSB Radio
14. ICOM AT-140 Antenna Tuner
15. ICOM HM-162WB Remote Command III Microphone
16. Newmar Hailer Horn
17. Samsung LN22A451 22" LCD television
18. VM7000 7" remote chartplotter display in master berth
19. Clarion MAX685BT DVD receiver with DVD, iPod interface and remote display at helm and master berth, XM mini-tuner. Clarion Speakers in salon, Bose in cockpit.
20. Raymarine SR-100 Satellite Weather Receiver

Additional Information and Photos

21. Skymate 100 Satellite Communicator
22. PACTOR II-USB Modem PTC-IIusb
23. Digital Antenna PowerMax? 4KSBR-50M 70dB gain wireless cell phone repeater system
24. Deliberant CPE 2-N WiFi extender system
25. The Sea Recovery Ultra-Whisper watermaker Upgraded.
26. Xantrex Link-20 battery monitor
27. Glomex 14" TV Antenna with Gain Control Amplifier
28. West Marine VHF 250 hand held VHF radio
29. AIS both transmit and receive

Sails & Rigging

Full batten 10.3 oz. high modulus Dacron mainsail with two reefs and Boom bag
2 New Sail Covers 2012
Lazy jacks mounted to spreaders and Boom basket
Strong sail track and slide system
20:1 Adjustable rigid boom vang and Dutchman boom brake
3:1 rig tensioners with chainplates
Self-tacking, full batten 8.3 oz. high modulus Dacron jib with Camber Spar, jib cover, topping lift, lazy jacks and jib downhaul system
Main halyard and jib halyard (Samson Validator II?), main sheet and jib sheet (Samson XLS), and two single line reefs (Samson XLS Extra) lead to helm through deck organizer, to sheet stoppers and Harken? 44 two-speed self-tailing electric winch
Extra main halyard and extra main sheet
1.5 oz. nylon asymmetrical spinnaker in dark blue and gold with adjustable bridle system from cockpit, Samson XLS Extra? spinnaker halyard, (2) lead blocks, (2) snatchblocks, (2) Samson XLS? spinnaker sheets, Harken 44 two-speed self-tailing winch in cockpit, Harken? 16 single speed winch at mast, (2) custom spinnaker turtles, continuous line furling system
Winch handle
Awlgrip painted aluminum mast and boom
Stainless steel rigging with chafe protection
All running rigging color-coded; all running hardware by Harken?
Extra line bag at helm
Flag halyards and cleats

Engine & Mechanical

Additional Information and Photos

2 Volvo Penta Model 2030 30 hp diesel engines with saildrives and three-blade folding propellers
Seawater strainers for engines
(2) Stripper weed/line cutters
Hand pump and hose for draining saildrive oil
Speedseals for rapid impeller changes
Battery isolators with engine parallel switch
Whitlock pull/pull cable steering system
Emergency tiller
Engine room blowers
(2) Raycor filters
Engine control panels in cockpit
Single lever shift/throttles

Additional Information

Synchronicity Manta 42 MK II is lightly used with low hours on the diesel engines and this boat is loaded with all the options. Also hard bottom inflatable with 15 hp. engine. This Manta even has two auto pilots. One for a backup in case the main fails. The primary is an upgrade and works much better than the original. She also has an autopilot remote. With the E-80 multifunction display and ST70 repeater along with the remote autopilot, you have the option of full navigational control from the salon. Lighting is also upgraded, with some of the CCFs replaced by the latest, high output, warm color LEDs in the cockpit and under the cabinets in the galley. Upgraded the helm seat to a Arrigoni cushioned reclining seat, and replaced the Manta salon table with an Arrigoni adjustable folding teak and veneer table.

Disclaimer:

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors to investigate such details as the buyer desired validated. Photos may not properly reflect the current condition of the actual vessel offered for sale. In some cases stock photographs may have been used.

Additional Information and Photos



Additional Information and Photos



Additional Information and Photos



Additional Information and Photos

